

Canon

imageFORMULA

DR-2510C

DR-2010C



imageFORMULA

DR-2510C

DR-2010C



Fast Scanning, Huge Performance, Space-Saving Design

The DR-2510C and DR-2010C models deliver fast, high-quality duplex scanning in a versatile and space-saving design. Ideal for all office scanning operations, these devices provide reliable feeding, advanced image processing functions, customizable Scan-To-Job buttons, and much more for your distributed imaging applications.

Performance to Meet Your Demands

Fast Scanning – even in color


Thanks to a new-and-improved CMOS contact image sensor, color documents can be scanned just as quickly as those in black and white and grayscale. The DR-2510C scanner offers a top speed of up to 25 ppm (50 ipm*) and Ultrasonic Double-Feed Detection function, and the DR-2010C model achieves up to 20 ppm (40 ipm*).

Renowned Canon Image Quality

Fine lines and intricate image details are captured with utmost precision and clarity thanks to Canon's advanced scanner technologies. The 3-Dimensional Color Correction offers pinpoint color matching to produce images that are true to the original and free of unwanted color staining.

Advanced Scanner Features

Equipped with Automatic Color Detection for easy scanning of mixed batches, the DR-2510C and DR-2010C devices also feature efficiency-boosting image processing functions such as Automatic Page Size Detection, Skip Blank Page, Deskew, Text Orientation Recognition, and much more.



A Document Imaging System

Bundled with the latest document imaging software packages—CapturePerfect® 3.0, Adobe® Acrobat® 8.0 Standard, ScanSoft PaperPort SE, OmniPage® 4SE, and Presto! BizCard 5—the Canon DR-2510C and DR-2010C devices are more than just scanners. You'll soon find that your small investment will enhance your office productivity many times over.

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi. Actual processing speeds may vary based on PC performance and application software.



Reliability and Versatility to Suit Your Needs

Versatile for Tight Spaces

The small footprint and versatile tray design of the Canon DR-2510C and DR-2010C scanners make them ideal for use on desktops and countertops or anywhere there are tight spaces. The three-way design allows scanners to be used with the built-in eject tray closed, opened, or half-opened with stopper to suit your workspace.



Tray closed
Documents are ejected directly onto the desktop/counter top.

Tray fully open
For neater lining up of ejected documents

Tray half open, with stopper
For small items such as business cards

Convert All Document Types

The new slant paper path design of the DR-2510C and DR-2010C scanners guarantees smooth scanning of a wide variety of documents, from thick documents and multi-sheet forms, right through to driver licenses and even embossed plastic cards. And Canon's innovative feeding mechanism with its retard rollers will ensure reliable page separation for fast, unattended batch scanning.

User-Friendliness Built Right In

Scan-To-Job Buttons

Canon's DR-2510C and DR-2010C scanners are also incredibly easy to use. Simply assign routine scanning tasks to customizable Scan-To-Job buttons for one-touch operations such as Scan-To-E-mail and Scan-To-Print, including all the relevant scanner settings.



Auto Power On/Off

The new Auto Power feature adds to energy efficiency and prevents the scanner from accidentally being left on. The scanner will automatically turn on or off, depending on the status of the connected PC. You can always manually switch the scanners on and off, too.



Specifications

Type:	Desktop Sheetfed Scanner			
Document Feeding	Automatic or Manual			
Document Size				
Width:	1.9" – 2.1"			
Length:	8.5" – 39.4"			
Document Weight				
Automatic Feeding:	14 – 32 lb. Bond			
Manual Feeding:	11 – 40 lb. Bond			
Feeder Capacity:	50 Sheets			
Grayscale:	8-bit			
Color:	24-bit			
Scanning Element:	Contact Image Sensor (CMOS)			
Light Source:	RGB LED			
Scanning Modes:	Simplex, Duplex, Color, Grayscale, Black and White, Error Diffusion, Advanced Text Enhancement			
Dropout Color:	Red, Green, Blue			
Optical Resolution:	600 dpi			
Output Resolution:	100/150/200/240/300/400/600 dpi			
Scanning Speeds*	DR-2510C		DR-2010C	
	Simplex	Duplex	Simplex	Duplex
Black and White:	25 ppm	50 ipm	20 ppm	40 ipm
Grayscale:	25 ppm	50 ipm	20 ppm	40 ipm
Color:	25 ppm	50 ipm	20 ppm	40 ipm
Interface:	Hi-Speed USB 2.0			
Scanner Drivers:	ISIS/TWAIN for Windows® 2000/XP/Windows Vista®			
Dimensions (H x W x D):	6.3" x 11.8" x 6.3"			
Weight:	5.3 lb.			
Power Consumption:	26W or less (Energy Saving Mode: 10W or less)			
Daily Duty Cycle:	1,500 Scans			

BUNDLED SOFTWARE

- CapturePerfect® 3.0
- Adobe® Acrobat® Reader 8.0 Standard
- ScanSoft PaperPort SE
- OmniPage 4 SE
- Presto! BizCard 5

OPTIONS

- Exchange Roller Kit
- Two-Year CarePak

OTHER FEATURES

- Ultrasonic Double Feed Detection (DR-2510C Only)
- Moiré Reduction
- Prevent Bleed-through/Remove Background
- User Registration
- Advanced Text Enhancement (Two Types)
- Skip Blank Page
- Prescan
- Auto Paper Size Detection
- Deskew
- Batch Separation
- Text Orientation Recognition
- Color Dropout/Enhancement

ITEM NUMBER

DR-2010C: 2454B002
 DR-2510C: 2455B002

* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi. Actual processing speeds may vary based on PC performance and application software.



1-800-OK-CANON
www.usa.canon.com

Canon U.S.A., Inc.
 One Canon Plaza
 Lake Success, NY 11042

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has determined that these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Adobe and the Adobe logo are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. Windows and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. OmniPage is a registered trademark of Nuance Communications, Inc., and/or its subsidiaries in the United States and/or other countries. CapturePerfect is a registered trademark of Canon Electronics Inc. CANON is a registered trademark of Canon Inc. in the United States and may also be a registered trademark or trademark in other countries. CAREPAK is a registered trademark of Canon U.S.A., Inc. IMAGEANYWARE is a trademark of Canon. All referenced product names and other marks are trademarks of their respective owners. Specifications and availability subject to change without notice. ©2007 Canon U.S.A., Inc. All rights reserved.

0116W805
 1107-2510C/2010C-13M-DCR

